

Appl. No. 10/605,914
Amdt. dated August 21, 2006
Reply to Office action of June 21, 2006

This listing of claims will replace all prior versions and listings of claims in the application.

In The Claims:

5

1. (Currently Amended) A locking member [for] used in an optical disk drive [with] having a chassis and function with a locking mechanism, comprising:

a hollow element including a hollow portion;

a protuberance, being integrally formed with the chassis and including a hole; and

10 a rivet, including a base and a projection, wherein the projection extends [extending] through the hole of the protuberance and the hollow portion of the hollow element, and the base is contact to the protuberance.

15 2. (Original) The locking member as claimed in claim 1, wherein a screw thread is integrally formed on the hollow portion of the hollow element, and a screw thread is integrally formed on a tubular projection of the rivet.

20 3. (Original) The locking member as claimed in claim 2, wherein the tubular projection of the rivet threads through the hollow portion of the hollow element.

4. (Original) The locking member as claimed in claim 1, wherein the hollow element and the rivet are of metallic material.

25 5. (Original) The locking member as claimed in claim 1, wherein the hollow element and the rivet are of plastic.

6. (Canceled)

Appl. No. 10/605,914
Amdt. dated August 21, 2006
Reply to Office action of June 21, 2006

7. (Currently Amended) A locking member [for] used in an optical disk drive having
[with] a chassis and function with a locking mechanism, comprising:

- a bushing including a hollow portion;
- a protuberance, being integrally formed with the chassis and including a hole;
- 5 a washer, having a hole and aligned with the protuberance; and
- a rivet, including a base and a projection, wherein the projection extends [extending]
through the hole of the protuberance, the hole of the washer and the hollow portion of the
bushing, and the base is contact to the protuberance.

- 10 8. (Original) The locking member as claimed in claim 7, wherein a screw thread is
integrally formed on the hollow portion of the bushing, and a screw thread is integrally
formed on a tubular projection of the rivet.

- 15 9. (Original) The locking member as claimed in claim 8, wherein the tubular
projection of the rivet threads through the hollow portion of the bushing.

10. (Original) The locking member as claimed in claim 7, wherein the bushing, the
washer and the rivet are of metallic material.

- 20 11. (Original) The locking member as claimed in claim 7, wherein the bushing, the
washer and the rivet are of plastic.

12-18. (Canceled)

- 25 19. (New) An optical disk drive, comprising:
a chassis;
a disk tray, moveably disposed inside the chassis;
a locking mechanism, positioned on the disk tray; and

Appl. No. 10/605,914
Amdt. dated August 21, 2006
Reply to Office action of June 21, 2006

a locking member, positioned on the chassis and function to lock the disk tray inside the chassis with the locking mechanism, the locking member having:

a protuberance, being integrally formed with the chassis and including a hole;

and

5 a rivet, extending through the hole of the protuberance and fixed on the protuberance by riveting.

20. (New) The optical disk drive as claimed in claim 19, wherein the locking member further has a hollow element including a hollow portion, and the rivet extends
10 through the hole of the protuberance and the hollow portion of the hollow element.

21. (New) The optical disk drive as claimed in claim 19, wherein the locking member further has a bushing and a washer, and the rivet extends through the hole of the protuberance, a hole of the washer and a hollow portion of the bushing.

15